

Medical Dyslexia

SIS Table Name	Medical_dyslexia
SIS table Code	MD
Data Collection LEA Level	School
Cycles	7
# of Data Items	5
Source	eSchool


Source

These fields receive their values directly from eSchool table fields:

Column ID	Element	Column Name	Cycles	Source Table	Source Column
MD0030	LEA	lea	7	eSch: REG_BUILDING	state_code_equiv
MD0040	SSN	ssn	7	eSch: REG_PERSONAL	ssn
MD0050	Unique Student ID	uniq_stu_id	7	eSch: REG_PERSONAL	state_report_id
MD0060	Grade Level	grade_level	7	eSch: REG_ENTRY_WITH	grade
MD0080	Receiving Therapy	receiving_therapy	7	eSch: MED_USER	field_value

Business logic

SIS Fields	Source	Conditions
MD0080 Receiving Therapy	eSch table MED_USER field field_value	WHERE field_number = "2" AND SCREEN_NUMBER = "201"



Selection Criteria

```

FROM MED_USER
WHERE MED_USER.field_number = "2"
AND MED_USER.SCREEN_NUMBER = "201";

FROM REG_PERSONAL
INNER JOIN REG_ENTRY_WITH
ON REG_PERSONAL.district = REG_ENTRY_WITH.district
AND REG_PERSONAL.student_id = REG_ENTRY_WITH.student_id
INNER JOIN REG

```

```
ON REG_PERSONAL.district = REG.district
AND REG_PERSONAL.student_id = REG.student_id
LEFT OUTER JOIN REG_DISTRICT
ON REG_PERSONAL.district = REG_DISTRICT.district
LEFT OUTER JOIN REG_GRADE
ON REG_ENTRY_WITH.district = REG_GRADE.district
AND REG_ENTRY_WITH.grade = REG_GRADE.code
AND REG_ENTRY_WITH.school_year = Current Year
INNER JOIN reg_building rb
ON reg_entry_with.district = rb.district
AND reg_entry_with.building = rb.building
AND rb.state_code_equiv IS NOT NULL
AND SUBSTRING(rb.state_code_equiv, 5, 3) != '000'
AND rb.building < 900
```