


## Student ID Change

<b>SIS Table Name</b>	Stidchg
<b>SIS table Code</b>	SI
<b>Data Collection LEA Level</b>	School
<b>Cycles</b>	1-7
<b># of Data Items</b>	4
<b>Source</b>	eSchool

### Source

These fields receive their values directly from eSchool table fields:

Column ID	Element	Column Name	Cycle	Source	Source Column
SI0030	LEA	lea	1-7	eSch: REG_BUILDING	state_code_equiv
SI0040	Date, Month, Day and Year	date	1-7	eSch: REG_USER	field_value
SI0050	Changed from ID	change_from_ssn_or_id	1-7	eSch: REG_USER	field_value
SI0060	Changed to SSN or ID Number	change_to_ssn_or_id	1-7	eSch: REG_PERSONAL	ssn



### Selection Criteria

Cycle 1:

FROM

```

reg r
INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 7
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0','')
INNER JOIN reg_user ru2

```

```
ON r.district = ru2.district
AND r.student_id = ru2.student_id
AND ru2.screen_number = 999
AND ru2.field_number = 8
AND ru2.field_value IS NOT NULL
AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 2:

FROM

```
reg r
INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 9
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
    AND ru2.screen_number = 999
    AND ru2.field_number = 10
    AND ru2.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 3:

FROM

```
reg r
INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 11
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
```

```
AND ru2.screen_number = 999
AND ru2.field_number = 12
AND ru2.field_value IS NOT NULL
AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 4:

FROM

```
    reg r
  INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
  INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 13
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
  INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
    AND ru2.screen_number = 999
    AND ru2.field_number = 14
    AND ru2.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 5:

FROM

```
    reg r
  INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
  INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 15
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
  INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
    AND ru2.screen_number = 999
    AND ru2.field_number = 16
```

```
AND ru2.field_value IS NOT NULL
AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 6:

FROM

```
    reg r
  INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
  INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 17
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
  INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
    AND ru2.screen_number = 999
    AND ru2.field_number = 18
    AND ru2.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

-----  
Cycle 7:

FROM

```
    reg r
  INNER JOIN reg_personal rp
    ON r.district = rp.district
    AND r.student_id = rp.student_id
  INNER JOIN reg_user ru
    ON r.district = ru.district
    AND r.student_id = ru.student_id
    AND ru.screen_number = 999
    AND ru.field_number = 19
    AND ru.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru.field_value)) NOT IN ('0',")
  INNER JOIN reg_user ru2
    ON r.district = ru2.district
    AND r.student_id = ru2.student_id
    AND ru2.screen_number = 999
    AND ru2.field_number = 20
    AND ru2.field_value IS NOT NULL
    AND LTRIM(RTRIM(ru2.field_value)) NOT IN ('0',")
```

